



Northwest Arkansas
1-800-352-0028
479-443-9292


Universal Fastener Outsourcing, LLC

NailScrews.com

Ballistic NailScrews®


US Patent #9,291,183 B2, Other Patents Pending / Cdn. Pat. [2,648,647]

15° WIRE COIL




JLC EDITOR'S PICK AS
"One of the Cleverest Products of the Year"

15° PLASTIC SHEET COIL



20°- 22° and 30°- 34° PLASTIC STRIP



**Hybrid® Fasteners That Install With A Pneumatic,
Gas, or Electric Nailer You Already Own**




VT Testing and IAPMO Reports Available at NailScrews.com
Patented ~ Tested ~ Approved™

15 DEGREE WIRE COIL









FOR MOST FRAMING PNEUMATIC NAILERS

Each Coil has 200 - 250 Ballistic NailScrews®



FLAT HEAD - YELLOW ZINC COATED

Applications: Subfloor, Roof Decking, Pallets, Crating, Manufactured Housing, and Many More!

NailScrew Part#	Length	Dia.	#/Box	Boxes/Pallet
WCNS134113YZSP	1 3/4"	.113"	3,600	56
WCNS200113YZSP	2"	.113"	3,600	56
WCNS200YZ	2"	.113"	1,000	96
WCNS214113YZSP 	2 1/4"	.113"	3,600	56
WCNS214YZ 	2 1/4"	.113"	1,000	96
WCNS212113YZSP 	2 1/2"	.113"	3,600	56
WCNS212YZ 	2 1/2"	.113"	1,000	96
WCNS300113YZSP 	3"	.113"	3,600	48
WCNS300YZ 	3"	.113"	1,000	46
WCNS300120YZSP 	3"	.120"	3,600	48
WCNS312131YZSP 	3 1/2"	.131"	3,600	48
WCNS400YZ	4"	.148"	800	64




Recognized for Subfloor & Shear Wall



National Wooden Pallet & Container Association (NWPCA)

COMPOSITE HEAD - PT2000® FULLY VINYL COATED - (800/BOX - 96 BOXES/PALLET)

Applications: PTL Decking, Composite Decking (AERT: MoistureShield® & ChoiceDek®, AZEK® Decking, & many other Composite materials), and Fencing. Not recommended for Capstock.

NailScrew Part#	Length	Dia.	Head
PTWCNS214CSQ 	2 1/4"	.120"	#2 SQ



FLAT HEAD - PT2000® (Dark Gray) - (800/BOX - 96 BOXES/PALLET)

Applications: All Types of Wood Decking including ACQ, Fencing, and all other Treated Lumber.

NailScrew Part#	Length	Dia.
PTWCNS134113SQ	1 3/4"	.113"
PTWCNS200113SP	2"	.113"
PTWCNS212113SP 	2 1/2"	.113"
PTWCNS300113SP 	3"	.113"



Recognized for Subfloor & Shear Wall



TRIM HEAD - PT2000® (Dark Gray) - (800/BOX - 96 BOXES/PALLET)

Applications: Composite Decking (TimberTech®, Rhino Deck®, Ever Grain®, Portico™, UFP® Decking, AERT: Moisture Shield® & ChoiceDek®, AZEK® Decking & many other Composite materials), All Types of Wood Decking, (including ACQ and all other Treated Lumber), Fencing, and Soft Exotic Lumbars. Not recommended for Capstock.

NailScrew Part#	Length	Dia.	Head
PTWCNS214113TH	2 1/4"	.113"	T-15



TRAILER MASTER™ - PT2000® (Dark Gray) - (3,600/BOX - 56 BOXES/PALLET)

Applications: Special designed for pressure treated lumber to 12 - 16 gauge steel tubing.


NailScrew Part#	Length	Dia.	Head
PTWC200113TTM	2"	.113"	T-15



CRATING MASTER™ - YELLOW ZINC - (3,600/BOX - 56 BOXES/PALLET)

Applications: Crates, pallets, and other types of wooden containers. Flexible screw with a minimum 45° bending angle.


NailScrew Part#	Length	Dia.	Head
WC212113YZSPCM	2 1/4"	.113"	SP



TRIM HEAD - 316 STAINLESS STEEL - (800/BOX - 96 BOXES/PALLET)

Applications: Dock & Deck Building within ten (10) miles of Salt or Brackish Water, Wood Decking, and Installation of Softer Composites During Warm Weather. Stainless Steel is soft and should NOT be used for framing.

NailScrew Part#	Length	Dia.	Head
SSWCNS300120TH	3"	.120"	T-15



HIGH LOAD - FLAT HEAD - YELLOW ZINC (3,600/BOX - 56 BOXES/PALLET)

900 BNS/COIL

Applications: Manufactured Housing, Crating, Pallets, Subfloor, Factory Assembly Lines for Wood Products, etc.

NailScrew Part#	Length	Dia.	Head
WCNS214113YZSQH 	2 1/4"	.113"	#2 SQ
WCNS212113YZSQH 	2 1/2"	.113"	#2 SQ



Classified as Multiple Use



Recognized for Subfloor & Shear Wall




2,000 BNS/COIL AVAILABLE BY SPECIAL ORDER

20-22 DEGREE PLASTIC STRIP

FOR MOST FULL HEAD PNEUMATIC NAILERS




Each Strip has 25 Ballistic NailScrews®



FLAT HEAD - YELLOW ZINC COATED - (192 BOXES/PALLET)

PH item has 1,000/Box - 100/Pallet

Applications: Subfloor, Roof Decking, Pallets, Crating, Manufactured Housing, and Many More!

NailScrew Part#	Length	Dia.	#/Box
HDNS200113YZSP	2"	.113"	1,000
HDNS214113YZSP 	2 1/4"	.113"	1,000
HDNS212113YZSP 	2 1/2"	.113"	1,000
HDNS300113YZPH 	3"	.113"	1,000



Virginia Tech
Testing for
NWPCA
Classified as
Multiple Use







Recognized for
Subfloor
& Shear Wall



National Wooden Pallet & Container Association (NWPCA)

COMPOSITE HEAD - PPG1500™ - (1,000/BOX - 100 BOXES/PALLET)

Applications: Composite Decking (AERT: MoistureShield® & ChoiceDek®, AZEK® Decking, & many other Composite materials), all Types of Wood Decking, and Fencing. Not recommended for Capstock.

NailScrew Part#	Length	Dia.	Color
PTHDNS214CSQB 	2 1/4"	.120"	Brown
PTHDNS214CSQC 	2 1/4"	.120"	Cedar
PTHDNS214CSQG 	2 1/4"	.120"	Gray
PTHDNS214CSQT 	2 1/4"	.120"	Tan



Virginia Tech
Testing for NWPCA
Classified as
Multiple Use



#2 SQ



FLAT HEAD - PPG1500™ (Dark Gray) - (1,000/BOX - 192 BOXES/PALLET)


PH item has 1,000/Box - 100/Pallet

Applications: All Types of Wood Decking (including ACQ), fencing, and all other Treated Lumber.

NailScrew Part#	Length	Dia.
PTHDNS134113PH	1 3/4"	.113"
PTHDNS200113SP	2"	.113"
PTHDNS212113SP 	2 1/2"	.113"
PTHDNS300113SP 	3"	.113"



Recognized for
Subfloor
& Shear Wall



(SQ & PH)



TRIM HEAD - PT2000® (PPG1500™) - (1,000/BOX - 100 BOXES/PALLET)

Applications: Composite Decking (AERT: MoistureShield® & ChoiceDek®, TimberTech®, Rhino Deck®, Ever Grain®, Portico™, UFP® Decking, AZEK® Decking, & many other Composite materials.), All types of Wood Decking including ACQ and all other Treated Lumber, Hard and Soft Exotic Lumbars, and Fencing. Not recommended for Capstock.

NailScrew Part#	Length	Dia.	Color
PTHDNS214113TH	2 1/4"	.113"	PT2000® (Gray)
PTHDNS214113THB	2 1/4"	.113"	Brown
PTHDNS214113THC	2 1/4"	.113"	Cedar
PTHDNS214113THG	2 1/4"	.113"	Gray
PTHDNS214113THT	2 1/4"	.113"	Tan
PTHDNS300113TH	3"	.113"	PPG1500™ (Gray)



T-15 Star



TRIM HEAD - 305 STAINLESS STEEL - (1,000/BOX - 100 BOXES/PALLET)

Applications: Dock & Deck Building within ten (10) miles of Salt or Brackish Water, Wood Decking, and Installation of Softer Composites during warm weather. Stainless Steel is soft and should NOT be used for Framing.

NailScrew Part#	Length	Dia.	Head
SSHDNS300120TH	3"	.120"	T-15



FLAT HEAD - 305 STAINLESS STEEL - (1,000/BOX - 100 BOXES/PALLET)

Applications: Many exterior applications within ten (10) miles of Salt or Brackish Water. Stainless Steel is soft and should NOT be used for Framing.

NailScrew Part#	Length	Dia.	Head
SSHDNS212120SQ	2 1/2"	.120"	#2 SQ
SSHDNS300120SQ	3"	.120"	#2 SQ



15 & 0 DEGREE PLASTIC SHEET COIL

FOR SOME SIDING PNEUMATIC NAILERS

Each Coil has 200 Ballistic NailScrews®



FLAT HEAD - YELLOW ZINC COATED - 15° COIL - (3,600/BOX - 56 BOXES/PALLET)

Applications: For Fastening Many Materials Like OSB, Plywood, DragonBoard® to Light Gauge Metal (12-16 Gauge) or Wood, Crating, Manufactured Housing, and Many More!

NailScrew Part# Length Dia.

HSNS114113YZSP 1¼" .113"

HSNS112113YZSP 1½" .113"



SP
(#1 SQ & #2 PH)

TRIM HEAD - PPG1500™ - 15° COIL - (1,600/BOX - 80 BOXES/PALLET)

Applications: Composite Fencing, DensGlass® Gold and other Gypsum Sheathing, Wood Fencing, Fiber-Cement Siding, DragonBoard®, etc.

NailScrew Part# Length Dia. Head Color

HSNS112113THC 1½" .113" T-15 Cedar

HSNS112113THT 1½" .113" T-15 Tan/EarthTone




FLAT HEAD - PPG1500™ - 15° COIL - (1,600/BOX - 80 BOXES/PALLET)

Applications: Composite Fencing, DensGlass® Gold and other Gypsum Sheathing, Wood Fencing, Fiber-Cement Siding, and DragonBoard®.

NailScrew Part# Length Dia. Head Color

HSNS112113PHG 1½" .113" #2 PH Gray

HSNS112113T15C 1½" .113" T-15 Cedar



MINI COIL - YELLOW ZINC COATED - (2,700/BOX - 120 BOXES/PALLET) 150 BNS per Coil

Applications: Doorsills, Windowsills, Door Seals, Cabinetry, Shelf Backing, Furniture, Small Crafts, and More!

NailScrew Part# Length Dia. Head

MC0D3472T10YZ (0°) ¾" .072" T-10

MC0D10072T10YZ (0°) 1" .072" T-10

MC15D3472T10YZ (15°) ¾" .072" T-10



30-34 DEGREE PLASTIC STRIP

FOR MOST PAPER STRIP PNEUMATIC & GAS NAILERS

Each Strip has 25 Ballistic NailScrews®



FLAT HEAD - YELLOW ZINC COATED - (1,000/BOX - 192 BOXES/PALLET)

Applications: For Fastening Many Materials like OSB, Plywood, Subfloor, Crating, Pallets, Manufactured Housing, and More!

NailScrew Part# Length Dia.

PSNS214113YZSP 2¼" .113"

PSNS300113YZSP 3" .113"



Virginia Tech
Testing for NWPCA
Classified as
Multiple Use



Recognized for
Subfloor
& Shear Wall



SP
(SQ & PH)



National Wooden Pallet & Container Association (NWPCA)

FLAT HEAD - PPG1500™ (Dark Gray) - (1,000/BOX - 192 BOXES/PALLET)

Applications: All Types of Wood Decking including ACQ and all other Treated Lumber.

NailScrew Part# Length Dia.

PTPSNS212113SP 2½" .113"

PTPSNS300113SP 3" .113"



Recognized for
Subfloor
& Shear Wall



SP
(SQ & PH)

Online Training Available

Contact merks@nailscrews.com for more information



Request a Free Sample



Special Order Collated and Bulk Screws Designed & Made Especially for You

